



The Pyramid of Tables

There are only 36 different one-digit multiplication facts to learn.
 Become fluent with the bottom row first, then move upwards.



Tick off boxes when you are sure you are *fluent*, and start looking for patterns:




I did it! Now what? The next step is *working backwards*:


Pick a two-digit number, and see if you can tell which times table it appears in.
 Can you say which multiple of 6 it is closest to, or how many 7s go into it?

The Pyramid of Tables

There are only 36 different one-digit multiplication facts to learn.
Become fluent with the bottom row first, then move upwards.



Tick off boxes when you are sure you are *fluent*, and start looking for patterns:




I did it! Now what? The next step is *working backwards*:


Pick a two-digit number, and see if you can tell which times table it appears in.
Can you say which multiple of 6 it is closest to, or how many 7s go into it?

The Pyramid of Tables

There are only 36 different one-digit multiplication facts to learn.
 Become fluent with the bottom row first, then move upwards.



Tick off boxes when you are sure you are *fluent*, and start looking for patterns:




I did it! Now what? The next step is *working backwards*:


Pick a two-digit number, and see if you can tell which times table it appears in.
 Can you say which multiple of 6 it is closest to, or how many 7s go into it?

The Pyramid of Tables

There are only 36 different one-digit multiplication facts to learn.
Become fluent with the bottom row first, then move upwards.



Tick off boxes when you are sure you are *fluent*, and start looking for patterns:



I did it! Now what? The next step is *working backwards*:

Pick a two-digit number, and see if you can tell which times table it appears in.
Can you say which multiple of 6 it is closest to, or how many 7s go into it?